

Omni Health Diagnostics 972-887-3444
 1840 N Greenville Ave Ste 176 support@OmniHealthDX.com
 Richardson, TX 75081 www.OmniHealthDX.com

Patient:	Test, Patient	MRN:	4	Accession:	12159
Patient #:	6818	Birth:	1/1/2000		
Doctor:	Test, Doctor	Age:	23 years	Collection Date:	3/21/2023 12:09 PM TB
Home Phone:	(123)123-1234	Gender:	Female	Received Date:	3/21/2023 12:16 PM TB
				Specimen Source:	Urine Cup

Medication Compliance Assessment

Prescribed Medications: *Alprazolam, Adderall, Citalopram, Clonazepam, Codeine, Atorvastatin*

Reported Medications Not Tested: *Atorvastatin*

CONSISTENT RESULT - REPORTED MEDICATION DETECTED (PARENT DRUG AND/OR METABOLITE)

REPORTED PRESCRIPTION	ANTICIPATED POSITIVE(S)	TEST OUTCOME	DETECTION WINDOW
Alprazolam	Alprazolam	Positive	
Adderall	Amphetamine	Positive	
Citalopram	Citalopram	Positive	
Clonazepam	7-Aminoclonazepam	Positive	
Codeine	Codeine	Positive	
Codeine	Hydrocodone	Positive	
Codeine	Hydromorphone	Positive	
Codeine	Morphine	Positive	

INCONSISTENT RESULT - REPORTED MEDICATION NOT DETECTED (NEITHER PARENT DRUG NOR METABOLITE)

REPORTED PRESCRIPTION	ANTICIPATED POSITIVE(S)	TEST OUTCOME	DETECTION WINDOW
N/A	N/A	N/A	N/A

INCONSISTENT RESULTS - ANALYTE DETECTED BUT NO CORRESPONDING PRESCRIPTION REPORTED

DETECTED ANALYTE	ILLICIT	MEASURED RESULT	CUTOFF	TEST OUTCOME	DETECTION WINDOW
alpha-PVP	Yes	276.92	<40.00	Positive	
Amobarbital	No	1687.46	<199.99	Positive	
Butabarbital	No	2045.16	<199.99	Positive	
Butalbital	No	1747.07	<199.99	Positive	
Clonazepam	No	269.29	<40.00	Positive	
Clozapine	No	325.41	<40.00	Positive	
Dextromethorphan	No	286.70	<40.00	Positive	
Diazepam	No	281.77	<40.00	Positive	
Flunitrazepam	No	259.35	<40.00	Positive	
Flurazepam	No	257.47	<40.00	Positive	
MDPV	Yes	53.57	<40.00	Positive	
Mephedrone	No	284.34	<40.00	Positive	
Methylone	No	320.74	<40.00	Positive	
Norhydrocodone	No	304.43	<40.00	Positive	
Noroxycodone	No	325.07	<40.00	Positive	
Noroxymorphone	No	210.19	<40.00	Positive	
Norpropoxyphene	No	383.06	<40.00	Positive	
Pentazocine	No	159.93	<25.00	Positive	
Phenobarbital	No	1517.92	<199.99	Positive	
Phentermine	No	270.88	<39.99	Positive	
Propoxyphene	No	178.37	<25.00	Positive	

Originally Reported On: 3/23/2023 11:13 AM

Accession: 12159 Patient #: 6818

Printed: 3/23/2023 11:15 AM

Lab Results for: Test, Patient

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Page: 1/6

Omni Health Diagnostics 972-887-3444
 1840 N Greenville Ave Ste 176 support@OmniHealthDX.com
 Richardson, TX 75081 www.OmniHealthDX.com

Patient:	Test, Patient	MRN:	4	Accession:	12159
Patient #:	6818	Birth:	1/1/2000		
Doctor:	Test, Doctor	Age:	23 years	Collection Date:	3/21/2023 12:09 PM TB
Home Phone:	(123)123-1234	Gender:	Female	Received Date:	3/21/2023 12:16 PM TB
				Specimen Source:	Urine Cup

INCONSISTENT RESULTS - ANALYTE DETECTED BUT NO CORRESPONDING PRESCRIPTION REPORTED

DETECTED ANALYTE	ILLICIT	MEASURED RESULT	CUTOFF	TEST OUTCOME	DETECTION WINDOW
Risperidone	No	225.27	<40.00	Positive	
Secobarbital	No	1727.93	<199.99	Positive	
Zaleplon	No	61.95	<10.00	Positive	
6-Acetylmorphine	Yes	54.82	<10.00	Positive	
Amitriptyline	No	267.51	<40.00	Positive	
Benzoylcegonine	Yes	182.48	<25.00	Positive	
Buprenorphine	No	36.41	<10.00	Positive	
Carisoprodol	No	240.60	<40.00	Positive	
Cotinine	No	304.69	<40.00	Positive	
Cyclobenzaprine	No	182.16	<25.00	Positive	
Desipramine	No	259.24	<40.00	Positive	
Diphenhydramine	No	270.67	<40.00	Positive	
Doxepin	No	261.21	<40.00	Positive	
EDDP	No	256.37	<40.00	Positive	
Fentanyl	No	34.38	<5.00	Positive	
Fluoxetine	No	290.65	<40.00	Positive	
Gabapentin	No	3792.6	<500.0	Positive	
Imipramine	No	258.22	<40.00	Positive	
Ketamine	No	262.71	<40.00	Positive	
MDA	Yes	282.00	<40.00	Positive	
MDEA	Yes	208.20	<40.00	Positive	
MDMA	Yes	288.91	<40.00	Positive	
Meperidine	No	249.93	<40.00	Positive	
Meprobamate	No	279.55	<40.00	Positive	
Methadone	No	280.26	<40.00	Positive	
Methamphetamine	Yes	284.54	<40.00	Positive	
Methylphenidate	No	202.90	<40.00	Positive	
Naloxone	No	41.82	<10.00	Positive	
Naltrexone	No	45.30	<10.00	Positive	
Norfentanyl	No	53.23	<10.00	Positive	
Nortriptyline	No	293.88	<40.00	Positive	
Oxazepam	No	293.37	<40.00	Positive	
Oxycodone	No	288.75	<40.00	Positive	
Oxymorphone	No	253.46	<40.00	Positive	
Phencyclidine	Yes	163.45	<25.00	Positive	
Pregabalin	No	3968.1	<500.0	Positive	
Ritalinic Acid	No	216.70	<25.00	Positive	
Sertraline	No	259.49	<40.00	Positive	
Tapentadol	No	164.89	<25.00	Positive	

Originally Reported On: 3/23/2023 11:13 AM

Accession: 12159 Patient #: 6818

Printed: 3/23/2023 11:15 AM

Lab Results for: Test, Patient

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Page: 2/6

Omni Health Diagnostics 972-887-3444
 1840 N Greenville Ave Ste 176 support@OmniHealthDX.com
 Richardson, TX 75081 www.OmniHealthDX.com

Patient:	Test, Patient	MRN:	4	Accession:	12159
Patient #:	6818	Birth:	1/1/2000		
Doctor:	Test, Doctor	Age:	23 years	Collection Date:	3/21/2023 12:09 PM TB
Home Phone:	(123)123-1234	Gender:	Female	Received Date:	3/21/2023 12:16 PM TB
				Specimen Source:	Urine Cup

INCONSISTENT RESULTS - ANALYTE DETECTED BUT NO CORRESPONDING PRESCRIPTION REPORTED

DETECTED ANALYTE	ILLICIT	MEASURED RESULT	CUTOFF	TEST OUTCOME	DETECTION WINDOW
Temazepam	No	270.39	<40.00	Positive	
Tramadol	No	292.64	<40.00	Positive	
Trazodone	No	299.10	<40.00	Positive	
Triazolam	No	241.22	<40.00	Positive	
Zolpidem	No	62.63	<10.00	Positive	

Specimen Validity Testing

TEST	MEASURED RESULT	TEST OUTCOME	REFERENCE RANGE
Oxidant	-78.0		<200.0
pH	5.5	Normal	4.5 - 9.0
Specific Gravity	1.013	Normal	1.005 - 1.019

Test Name	Result	Units	Flag	Reference Range/Cutoff
Screen-Full Panel Omni <i>Run by BB on 3/23/2023 11:00:53 AM</i>				
6-Acetylmorphine	Negative	ng/mL		<10
Amphetamine	Negative	ng/mL		<500
Barbiturate	Negative	ng/mL		<200
Benzodiazepine	Negative	ng/mL		<200
Cannabinoid	Negative	ng/mL		<50
Cocaine	Negative	ng/mL		<150
EDDP Specific	Negative	ng/mL		<100
Fentanyl	Negative	ng/mL		<1.0
Opiate	Positive	ng/mL	Positive	<300
Oxycodone	Negative	ng/mL		<100
PCP	Negative	ng/mL		<25
Screen-Validity Omni <i>Run by BB on 3/23/2023 11:00:53 AM</i>				
Specific Gravity	1.013		Normal	1.005 - 1.019
Oxidant	-78.0	ug/mL		<200.0
pH	5.5		Normal	4.5 - 9.0

Detailed Results

Test Name	Outcome	Measured Result	Cutoff	Units	Illicit?	Status
Confirmation - Full Panel <i>Run by BB on 3/21/2023 4:57:03 PM</i>						
alpha-PVP	Positive	276.92	<40.00	ng/mL	Yes	Inconsistent Result
Amobarbital	Positive	1687.46	<199.99	ng/mL	No	Inconsistent Result
Butabarbital	Positive	2045.16	<199.99	ng/mL	No	Inconsistent Result
Butalbital	Positive	1747.07	<199.99	ng/mL	No	Inconsistent Result

Originally Reported On: 3/23/2023 11:13 AM

Accession: 12159 Patient #: 6818

Printed: 3/23/2023 11:15 AM

Lab Results for: Test, Patient

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Page: 3/6

Omni Health Diagnostics 972-887-3444
 1840 N Greenville Ave Ste 176 support@OmniHealthDX.com
 Richardson, TX 75081 www.OmniHealthDX.com

Patient:	Test, Patient	MRN:	4	Accession:	12159
Patient #:	6818	Birth:	1/1/2000		
Doctor:	Test, Doctor	Age:	23 years	Collection Date:	3/21/2023 12:09 PM TB
Home Phone:	(123)123-1234	Gender:	Female	Received Date:	3/21/2023 12:16 PM TB
				Specimen Source:	Urine Cup

Detailed Results

Test Name	Outcome	Measured Result	Cutoff	Units	Illicit?	Status
Clonazepam	Positive	269.29	<40.00	ng/mL	No	Inconsistent Result
Clozapine	Positive	325.41	<40.00	ng/mL	No	Inconsistent Result
Dextromethorphan	Positive	286.70	<40.00	ng/mL	No	Inconsistent Result
Diazepam	Positive	281.77	<40.00	ng/mL	No	Inconsistent Result
Flunitrazepam	Positive	259.35	<40.00	ng/mL	No	Inconsistent Result
Flurazepam	Positive	257.47	<40.00	ng/mL	No	Inconsistent Result
MDPV	Positive	53.57	<40.00	ng/mL	Yes	Inconsistent Result
Mephedrone	Positive	284.34	<40.00	ng/mL	No	Inconsistent Result
Methylone	Positive	320.74	<40.00	ng/mL	No	Inconsistent Result
Norhydrocodone	Positive	304.43	<40.00	ng/mL	No	Inconsistent Result
Noroxycodone	Positive	325.07	<40.00	ng/mL	No	Inconsistent Result
Noroxymorphone	Positive	210.19	<40.00	ng/mL	No	Inconsistent Result
Norpropoxyphene	Positive	383.06	<40.00	ng/mL	No	Inconsistent Result
Pentazocine	Positive	159.93	<25.00	ng/mL	No	Inconsistent Result
Phenobarbital	Positive	1517.92	<199.99	ng/mL	No	Inconsistent Result
Phentermine	Positive	270.88	<39.99	ng/mL	No	Inconsistent Result
Propoxyphene	Positive	178.37	<25.00	ng/mL	No	Inconsistent Result
Risperidone	Positive	225.27	<40.00	ng/mL	No	Inconsistent Result
Secobarbital	Positive	1727.93	<199.99	ng/mL	No	Inconsistent Result
Zaleplon	Positive	61.95	<10.00	ng/mL	No	Inconsistent Result
6-Acetylmorphine	Positive	54.82	<10.00	ng/mL	Yes	Inconsistent Result
7-Aminoclonazepam	Positive	285.82	<40.00	ng/mL	No	Consistent Result for Clonazepam
Alprazolam	Positive	291.79	<40.00	ng/mL	No	Consistent Result for Alprazolam
Amitriptyline	Positive	267.51	<40.00	ng/mL	No	Inconsistent Result
Amphetamine	Positive	292.26	<40.00	ng/mL	No	Consistent Result for Adderall
Benzoylcegonine	Positive	182.48	<25.00	ng/mL	Yes	Inconsistent Result
Buprenorphine	Positive	36.41	<10.00	ng/mL	No	Inconsistent Result
Carisoprodol	Positive	240.60	<40.00	ng/mL	No	Inconsistent Result
Citalopram	Positive	273.93	<40.00	ng/mL	No	Consistent Result for Citalopram
Codeine	Positive	263.38	<40.00	ng/mL	No	Consistent Result for Codeine
Cotinine	Positive	304.69	<40.00	ng/mL	No	Inconsistent Result
Cyclobenzaprine	Positive	182.16	<25.00	ng/mL	No	Inconsistent Result
Desipramine	Positive	259.24	<40.00	ng/mL	No	Inconsistent Result
Diphenhydramine	Positive	270.67	<40.00	ng/mL	No	Inconsistent Result

Originally Reported On: 3/23/2023 11:13 AM

Accession: 12159 Patient #: 6818

Printed: 3/23/2023 11:15 AM

Lab Results for: Test, Patient

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Page: 4/6

Omni Health Diagnostics 972-887-3444
 1840 N Greenville Ave Ste 176 support@OmniHealthDX.com
 Richardson, TX 75081 www.OmniHealthDX.com

Patient:	Test, Patient	MRN:	4	Accession:	12159
Patient #:	6818	Birth:	1/1/2000		
Doctor:	Test, Doctor	Age:	23 years	Collection Date:	3/21/2023 12:09 PM TB
Home Phone:	(123)123-1234	Gender:	Female	Received Date:	3/21/2023 12:16 PM TB
				Specimen Source:	Urine Cup

Detailed Results

Test Name	Outcome	Measured Result	Cutoff	Units	Illicit?	Status
Doxepin	Positive	261.21	<40.00	ng/mL	No	Inconsistent Result
EDDP	Positive	256.37	<40.00	ng/mL	No	Inconsistent Result
Fentanyl	Positive	34.38	<5.00	ng/mL	No	Inconsistent Result
Fluoxetine	Positive	290.65	<40.00	ng/mL	No	Inconsistent Result
Gabapentin	Positive	3792.6	<500.0	ng/mL	No	Inconsistent Result
Hydrocodone	Positive	300.71	<40.00	ng/mL	No	Consistent Result for Codeine
Hydromorphone	Positive	301.04	<40.00	ng/mL	No	Consistent Result for Codeine
Imipramine	Positive	258.22	<40.00	ng/mL	No	Inconsistent Result
Ketamine	Positive	262.71	<40.00	ng/mL	No	Inconsistent Result
MDA	Positive	282.00	<40.00	ng/mL	Yes	Inconsistent Result
MDEA	Positive	208.20	<40.00	ng/mL	Yes	Inconsistent Result
MDMA	Positive	288.91	<40.00	ng/mL	Yes	Inconsistent Result
Meperidine	Positive	249.93	<40.00	ng/mL	No	Inconsistent Result
Meprobamate	Positive	279.55	<40.00	ng/mL	No	Inconsistent Result
Methadone	Positive	280.26	<40.00	ng/mL	No	Inconsistent Result
Methamphetamine	Positive	284.54	<40.00	ng/mL	Yes	Inconsistent Result
Methylphenidate	Positive	202.90	<40.00	ng/mL	No	Inconsistent Result
Morphine	Positive	293.95	<40.00	ng/mL	No	Consistent Result for Codeine
Naloxone	Positive	41.82	<10.00	ng/mL	No	Inconsistent Result
Naltrexone	Positive	45.30	<10.00	ng/mL	No	Inconsistent Result
Norfentanyl	Positive	53.23	<10.00	ng/mL	No	Inconsistent Result
Nortriptyline	Positive	293.88	<40.00	ng/mL	No	Inconsistent Result
Oxazepam	Positive	293.37	<40.00	ng/mL	No	Inconsistent Result
Oxycodone	Positive	288.75	<40.00	ng/mL	No	Inconsistent Result
Oxymorphone	Positive	253.46	<40.00	ng/mL	No	Inconsistent Result
Phencyclidine	Positive	163.45	<25.00	ng/mL	Yes	Inconsistent Result
Pregabalin	Positive	3968.1	<500.0	ng/mL	No	Inconsistent Result
Ritalinic Acid	Positive	216.70	<25.00	ng/mL	No	Inconsistent Result
Sertraline	Positive	259.49	<40.00	ng/mL	No	Inconsistent Result
Tapentadol	Positive	164.89	<25.00	ng/mL	No	Inconsistent Result
Temazepam	Positive	270.39	<40.00	ng/mL	No	Inconsistent Result
Tramadol	Positive	292.64	<40.00	ng/mL	No	Inconsistent Result
Trazodone	Positive	299.10	<40.00	ng/mL	No	Inconsistent Result
Triazolam	Positive	241.22	<40.00	ng/mL	No	Inconsistent Result
Zolpidem	Positive	62.63	<10.00	ng/mL	No	Inconsistent Result

Originally Reported On: 3/23/2023 11:13 AM

Accession: 12159 Patient #: 6818

Printed: 3/23/2023 11:15 AM

Lab Results for: Test, Patient

(UTC-06:00) Central Time (US & Canada)

STAT[S] Corrected [C] Amended [A]

Page: 5/6

Omni Health Diagnostics 972-887-3444
1840 N Greenville Ave Ste 176 support@OmniHealthDX.com
Richardson, TX 75081 www.OmniHealthDX.com

Patient:	Test, Patient	MRN:	4	Accession:	12159
Patient #:	6818	Birth:	1/1/2000		
Doctor:	Test, Doctor	Age:	23 years	Collection Date:	3/21/2023 12:09 PM TB
Home Phone:	(123)123-1234	Gender:	Female	Received Date:	3/21/2023 12:16 PM TB
				Specimen Source:	Urine Cup

Notes: Urine drug screen provides only a preliminary analytical test result. A more specific alternative chemical method must be used to obtain a confirmed analytical result. Gas chromatography/mass spectrometry (GC/MS) is the preferred confirmatory method. Other chemical confirmation methods are available. Clinical consideration and professional judgment should be applied to any drug-of-abuse test result, particularly when preliminary positive results are used.