

OMNIHEALTH DIAGNOSTICS, LLC CLIA: 45D2089485 Lab Director: Dr. Akhar Afshan Ali Address: 1840 N Greenville Ave, Suite 176 Richardson, TX 75081 Phone: 972.887.3444 | Fax: 972.887.3443

PLEASE SUBMIT THE FOLLOWING WITH REQUISITION FORM

□ Statement of Medical Necessity (Signed by Physician)

□ Informed Consent Form (Signed by Pt & Physician)

□ SOAP & Progress Note (Signed by Physician)

TESTING REQUISITION FORM - THYROID GENETIC DISEASE								
PATIENT INFORMATION								
Patient First Name			Patient Last Name				Biological Sex 🗌 F 🗌 M	
Date of Birth (MM/DD/YYYY) Phon			one Number			Email Address		
Address C		City		State		Zip		
Ethnicity: 🗌 African American 🗌 Asian 🗌 Caucasian 🗌 Hispanic 🗌 Jewish(Ashkenazi) 🗌 Portuguese 🗍 Other								
PATIENT INSURANCE INFORMATION				SPECIMEN INFORMATION				
🗌 Insurance 🔲 Self-Pay 🗌 Client Bill			Date Sample Collected (mm/dd/yy) (required)					
Name of the insurance	Secondary Insurance, If any			Medical Record#				
Insurance Policy/ID number	Name of the insured		🗌 Buccal Swab					
Insurance Group number	Date of Birth of Insured			□ Other (specify source)				
ORDERING PHYSICIAN/SENDING FACILITY (Each Listed person will receive a copy of the report)								
Facility Name (Facility Code): Addres				s: City:				
State/Country :			Zip:			Phone:		
Ordering Licensed Provider Name (Last, First)(Code)			NPI#		Phone	ne Fax/Email		
STATEMENT OF MEDICAL NECESSITY								
By submission of this test requisition and accompanying sample(s), I: (i) authorize and direct to perform the testing indicated; (ii) certify that the person listed as the ordering provider is authorized by law to order the test(s) requested; (iii) certify that any custom panel and/or ordered test(s) requested on this test requisition form are reasonable and medically necessary for the diagnosis and/or treatment of a disease, illness, impairment, symptom, syndrome or disorder; (iv) the test results will determine my patient's medical management and treatment decisions of this patient's condition on this date of service; (v) have obtained this patient's and relatives', when applicable, written informed consent to undergo any genetic testing requested; and (vi) that the full and appropriate diagnosis code(s) are indicated to the highest level of specificity.								
Signature of Provider (required)				Date:				
INDICATIONS FOR TESTING (CHECK ALL THAT APPLY)								
Diagnostic 🗌 Family history 🗋 Positive or normal control 📋 Other								
Will Patient management be changed depending on the test results? Yes No								
CLINICAL PRESENTATION								
may be relavant to genetic testing:			dise	here are many presentations which may not seem like a direct association for isease. Please List the most suspected presentations and attach detailed nedical records and/or pedigree.				

TESTING REQUISITION FORM - THYROID GENETIC DISEASE | Page 1of 1

Updated on 01/31/2022

Cust	tom Thyroid Genetic Diseas	se Panel (Select the	genes below) or	Compreh	ensive Thyroid Genetic I	Disease Panel (Test A	ll Genes)		
	CA 🗆 SLC5A5	D PAX8	□ TGFBI	□ ATP1A	2 🗆 PLN	□ IRAK1	□ CST3		
			□ TG		□ TFR2	□ G6PD			
		□ FOXE1	□ THRA	□ TTR	□ SLC26A4	□ SLC16A2	□ CSTB		
	NB1 🗆 HAMP	□ SECISBP2	□ TP53	□ IYD	□ TSHR	□ IGSF1	DUOX2		
□ KRAS	S 🗆 SLC40A1	□ GNAQ	TSHB	□ HFE	□ NKX2-1	□ TBL1X	HHEX		
	X1 🗆 TPO	□ PLCG2	□ NRAS	□ ESR1	□ MECP2	□ IRS4	□ FGFR2.		
INDICAT									
INDICAL	ON (S) FOR TESTING) Codes					
	A suto thursi ditis		Category - 1	: ICD10 codes		and the second second second	the set of the		
□ E06.0 □ E06.1	Acute thyroiditis Subacute thyroiditis			□ E05.11	Thyrotoxicosis with toxic sin crisis or storm	gie thyroid hodule with	thyrotoxic		
□ E06.2	Chronic thyroiditis with trans	sient thyrotoxicosis		□ E05.20	Thyrotoxicosis with toxic mu	Iltinodular goiter withou	ut		
□ E06.3 □ E06.4	Autoimmune thyroiditis Drug-induced thyroiditis			□ E05.21	thyrotoxic crisis or storm				
□ E06.5	Other chronic thyroiditis				Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm				
□ E06.9	Thyroiditis, unspecified	with diffuse acitor		□ E05.30	Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic				
□ E03.0 □ E03.1	Congenital hypothyroidism v Congenital hypothyroidism v			□ E05.31	crisis or storm Thyrotoxicosis from ectopic thyroid tissue with				
□ E03.2	Hypothyroidism due to medic	caments and other exog	genous substances		thyrotoxic crisis or storm				
□ E03.3 □ E03.4	Postinfectious hypothyroidis Atrophy of thyroid (acquired			□ E05.40 □ E05.41	Thyrotoxicosis factitia without thyrotoxic crisis or storm Thyrotoxicosis factitia with thyrotoxic crisis or storm				
□ E03.5	Myxedema coma			□ E05.41 □ E05.80	Other thyrotoxicosis withou				
□ E03.8	Other specified hypothyroid			□ E05.81	Other thyrotoxicosis with th	yrotoxic crisis or storm			
□ E03.9 □ E01.0	Hypothyroidism, unspecified lodine-deficiency related diff			□ E05.90 □ E05.91	Thyrotoxicosis, unspecified without thyrotoxic crisis or storm Thyrotoxicosis, unspecified with thyrotoxic crisis or storm				
□ E01.1	lodine-deficiency related mu	ıltinodular (endemic) g		□ E07.0	Hypersecretion of calcitonin				
□ E01.2	lodine-deficiency related (en		fied	□ E07.1	Dyshormogenetic goiter				
□ E01.8	Other iodine-deficiency relat and allied conditions	tea thyroid disorders		□ E07.81 □ E07.89	Sick-euthyroid syndrome Other specified disorders of thyroid				
□ E04.0	Nontoxic diffuse goiter			□ E07.9	Disorder of thyroid, unspecified				
□ E04.1	Nontoxic single thyroid nodu			□ E20.1	Pseudohypoparathyroidism				
□ E04.2 □ E04.8	Nontoxic multinodular goite Other specified nontoxic goi			□ Z85.8 □ D02.0	Personal history of malignant neoplasms of other organs and systems Carcinoma in situ of larynx				
□ E04.9	Nontoxic goiter, unspecified			□ D09.3	Carcinoma in situ of thyroid and other endocrine glands				
□ E05.00 □ E05.01	, , , , , , , , , , , , , , , , , , , ,			□ D14.1	Benign neoplasm of larynx				
□ E05.10	Thyrotoxicosis with toxic sing								
	crisis or storm								
			Category - 2	: ICD10 codes					
□ C17.0	Malignant neoplasm of duod			□ C34.80	Malignant neoplasm of overla				
□ C17.1 □ C17.2	Malignant neoplasm of jejun Malignant neoplasm of ileun			□ C34.81 □ C34.82	Malignant neoplasm of ove				
□ C17.2	Meckel's diverticulum, malig			□ C34.90	Malignant neoplasm of overlapping sites of left bronchus and lung Malignant neoplasm of unspecified part of unspecified bronchus or lung				
□ C17.8	Malignant neoplasm of overlapping sites of small intestine			□ C34.91	Malignant neoplasm of unspecified part of right bronchus or lung				
□ C17.9 □ C18.0	Malignant neoplasm of small intestine, unspecified Malignant neoplasm of cecum			□ C34.92 □ C38.4	Malignant neoplasm of unspecified part of left bronchus or lung Malignant neoplasm of pleura				
□ C18.1	Malignant neoplasm of appendix			□ C45.0	Mesothelioma of pleura				
□ C18.2		Malignant neoplasm of ascending colon			Mesothelioma of peritoneum Malignant neoplasm of specified parts of peritoneum				
□ C18.3 □ C18.4	Malignant neoplasm of hepa Malignant neoplasm of trans			□ C48.1 □ C48.2	Malignant neoplasm of spe Malignant neoplasm of per		um		
□ C18.5	Malignant neoplasm of spler	nic flexure		□ C48.8	Malignant neoplasm of ove	rlapping retroperitoneu	m and peritoneum		
□ C18.6 □ C18.7	Malignant neoplasm of desc Malignant neoplasm of sigm			□ C54.0 □ C54.1	Malignant neoplasm of isth Malignant neoplasm of end				
□ C18.7 □ C18.8	Malignant neoplasm of sigm			□ C54.1 □ C54.2	Malignant neoplasm of end Malignant neoplasm of my				
□ C18.9	Malignant neoplasm of color	n, unspecified		□ C54.3	Malignant neoplasm of fun	dus uteri			
□ C19 □ C20	Malignant neoplasm of recto			□ C54.8 □ C54.9	Malignant neoplasm of over Malignant neoplasm of corr		s uteri		
□ C20	Malignant neoplasm of rectum Malignant neoplasm of anus, unspecified			□ C54.9	Malignant neoplasm of corpus uteri, unspecified Malignant neoplasm of uterus, part unspecified				
□ C21.1	Malignant neoplasm of anal	Malignant neoplasm of anal canal			Malignant neoplasm of right ovary				
□ C21.2 □ C21.8	Malignant neoplasm of cload Malignant neoplasm of over		us and anal canal	□ C56.2 □ C56.3	Malignant neoplasm of left Malignant neoplasm of bila				
□ C33	Malignant neoplasm of trach	nea		□ C56.9	Malignant neoplasm of uns	pecified ovary			
□ C34.00	Malignant neoplasm of unsp		;	□ C57.00 □ C57.01	Malignant neoplasm of uns Malignant neoplasm of righ				
□ C34.01 □ C34.02	Malignant neoplasm of right Malignant neoplasm of left n			C57.01	Malignant neoplasm of left				
□ C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung			□ C57.10	Malignant neoplasm of unspecified broad ligament				
□ C34.11 □ C34.12	5 1 11 7 5 5			□ C57.11 □ C57.12	Malignant neoplasm of right broad ligament				
□ C34.12 □ C34.2	5 1 11 7 5			□ C57.20	Malignant neoplasm of left broad ligament Malignant neoplasm of unspecified round ligament				
□ C34.30	Malignant neoplasm of lowe	r lobe, unspecified bro	nchus or lung	□ C57.21	Malignant neoplasm of righ	nt round ligament			
□ C34.31 □ C34.32	Malignant neoplasm of lowe Malignant neoplasm of lowe			□ C57.22 □ C57.3	Malignant neoplasm of left Malignant neoplasm of par				
	<u> </u>	ION FORM - THYROID GEN			Updated on 01/31/		Continued		

INDICAT	ION (S) FOR TESTING ICD-1	0 Codes	
□ C57.4	Malignant neoplasm of uterine adnexa, unspecified	□ D44.2	Neoplasm of uncertain behavior of parathyroid gland
🗆 C73	Malignant neoplasm of thyroid gland	🗆 D44.9	Neoplasm of uncertain behavior of unspecified endocrine gland
□ C92.00	Acute myeloblastic leukemia, not having achieved remission	□ D46.0	Refractory anemia without ring sideroblasts, so stated
□ C92.01	Acute myeloblastic leukemia, in remission	□ D46.1	Refractory anemia with ring sideroblasts
□ C92.02	Acute myeloblastic leukemia, in relapse	□ D46.20	Refractory anemia with excess of blasts, unspecified
□ C92.10	Chronic myeloid leukemia, BCR/ABL-positive, not having	□ D46.21	Refractory anemia with excess of blasts 1
	achieved remission	□ D46.22	Refractory anemia with excess of blasts 2
□ C92.11	Chronic myeloid leukemia, BCR/ABL-positive, in remission	🗆 D46.4	Refractory anemia, unspecified
□ C92.12	Chronic myeloid leukemia, BCR/ABL-positive, in relapse	🗆 D46.9	Myelodysplastic syndrome, unspecified
🗆 C92.40	Acute promyelocytic leukemia, not having achieved remission	🗆 D46.A	Refractory cytopenia with multilineage dysplasia
🗆 C92.41	Acute promyelocytic leukemia, in remission	🗆 D46.B	Refractory cytopenia with multilineage dysplasia and ring sideroblasts
□ C92.42	Acute promyelocytic leukemia, in relapse	🗆 D46.C	Myelodysplastic syndrome with isolated del(5q) chromosomal
□ C92.50	Acute myelomonocytic leukemia, not having achieved remission		abnormality
□ C92.51	Acute myelomonocytic leukemia, in remission	🗆 D46.Z	Other myelodysplastic syndromes
□ C92.52	Acute myelomonocytic leukemia, in relapse	🗆 E01.0	lodine-deficiency related diffuse (endemic) goiter
□ C92.60	Acute myeloid leukemia with 11q23-abnormality not having	🗆 E01.1	lodine-deficiency related multinodular (endemic) goiter
	achieved remission	🗆 E01.2	lodine-deficiency related (endemic) goiter, unspecified
□ C92.61	Acute myeloid leukemia with 11q23-abnormality in remission	🗆 E04.0	Nontoxic diffuse goiter
□ C92.62	Acute myeloid leukemia with 11q23-abnormality in relapse	🗆 E04.1	Nontoxic single thyroid nodule
🗆 C92.A0	Acute myeloid leukemia with multilineage dysplasia, not having	🗆 E04.2	Nontoxic multinodular goiter
	achieved remission	🗆 E04.8	Other specified nontoxic goiter
🗆 C92.A1	Acute myeloid leukemia with multilineage dysplasia, in remission	🗆 E04.9	Nontoxic goiter, unspecified
🗆 C92.A2	Acute myeloid leukemia with multilineage dysplasia, in relapse	🗆 Z85.030	Personal history of malignant carcinoid tumor of large intestine
□ C93.10	Chronic myelomonocytic leukemia not having achieved remission	□ Z85.038	Personal history of other malignant neoplasm of large intestine
□ C93.11	Chronic myelomonocytic leukemia, in remission	□ Z85.040	Personal history of malignant carcinoid tumor of rectum
□ C93.12	Chronic myelomonocytic leukemia, in relapse	□ Z85.048	Personal history of other malignant neoplasm of rectum,
🗆 D34	Benign neoplasm of thyroid gland		rectosigmoid junction, and anus
□ D44.0	Neoplasm of uncertain behavior of thyroid gland		
		1	

Additional ICD-10 codes:

INFORMED CONSENT

For the purposes of this consent, "I", "my", and "your" will refer to me or to my child, including my unborn child, if my child is the person for whom the healthcare provider has ordered testing.

PURPOSE OF THIS TEST

The purpose of this test is (a) to see if I may have a genetic variant or chromosome rearrangement causing a genetic disorder; or (b) to evaluate the chance that I will develop or passon a genetic disorder in the future. If I already know the specific gene variant(s) or chromosome rearrangement that causes the genetic disorder in my family, I agree to inform the laboratory of this information.

WHAT TYPE OF TEST RESULTS CAN I EXPECT FROM GENETIC TESTING?

1. Positive: A change in your DNA was found, which is very likely the cause of your features/symptoms. This is the most straightforward test result, which can be used as the basis to test other family members to determine their chances of having either the disease or a child with the disease.

2. Negative: No variants were found to explain your symptoms. This does not mean that you do not have a genetic condition. It is still possible that there is a genetic variant not found by the test that was ordered. Your healthcare provider or genetic counselor may discuss more testing either now or in the future.

3. Variant of Uncertain Significance (VUS): A change in a gene was found. However, we are not sure whether this variant is the cause of your symptoms/features. More information is needed. We may suggest testing other family members to help figure out the meaning of the test result.

4. Unexpected Results: In rare instances, this test may reveal an important genetic change that is not directly related to the reason for ordering this test. For example, this test may find you are at risk for another genetic condition I am not aware of or it may indicate differences in the number or rearrangement of sex chromosomes. We may disclose this information to the ordering healthcare provider if it likely affects medical care. Because medical and scientific knowledge is constantly changing, new information that becomes available may supplement the information **OmniHealth Diagnostics, LLC** used to interpret my results.

Healthcare providers can contact OmniHealth Diagnostics, LLC at any time to discuss the classification of an identified variant.

WHAT IS TRIO/DUO-BASED GENETIC TESTING?

For some genetic tests, including samples from the biological parents and/or other biological relatives along with the patient's sample can help with the interpretation of the test results. These tests are often referred to as "trio tests" since they typically include samples from the patient and both parents. Samples from relatives should be submitted with the patient's sample. Clinical information must be provided for the patient and any relative who submits a sample.

I understand that **OmniHealth Diagnostics, LLC** will use the relative sample(s) when needed for the interpretation of my test results and that my test report may include clinical and genetic information about relative when it is relevant to the interpretation of the test results. I further understand that relatives will not receive an independent analysis of data nor a separate report.

RISKS AND LIMITATIONS OF GENETIC TESTING

1. In some cases, testing may not identify a genetic variant even though one exists. This may be due to limitations in current medical knowledge or testing technology. 2. Accurate interpretation of test results may require knowing the true biological relationships in a family. I understand that if I fail to accurately state the biological relationships in my family, it could lead to incorrect interpretation of the test results, incorrect diagnoses, and/or inconclusive test results. If genetic testing reveals that the true biological relationships in a family are not as I reported them, including non-paternity (the reported father is not the biological father) and consanguinity (the parents are related by blood), I agree to have these findings reported to the healthcare provider who ordered the test.

3. Although genetic testing is highly accurate, inaccurate results may occur. These reasons include, but are not limited to mislabeled samples, inaccurate reporting of clinical/medical information, rare technical errors, or other reasons.

4. I understand that this test may not detect all of the long-term medical risks that I might experience. The result of this test does not guarantee my health and that additional diagnostic tests may still need to be done.

5. I agree to provide an additional sample if the initial sample is not adequate.

PATIENT CONFIDENTIALITY AND GENETIC COUNSELING

It is recommended that I receive genetic counseling before and after having this genetic test. I can find a genetic counselor in my area at www.nsgc.org. Further testing or additional consultations with a healthcare provider may be necessary.

To maintain confidentiality, test results will only be released to the referring healthcare provider, the ordering laboratory, to me, to other healthcare providers involved in my care, diagnosis and treatment, or to others with my consent or as permitted or required by law. Federal laws prohibit unauthorized disclosure of this information. More information can be found at: www.genome.gov/10002077

INTERNATIONAL SAMPLES

If I reside outside the United States, I attest that by providing a sample for testing, I am not knowingly violating any export ban or other legal restriction in the country of my residence.

SAMPLE RETENTION

After testing is complete, my sample may be de-identified and be used for test development and improvement, internal validation, quality assurance, and training purposes. **OmniHealth Diagnostics, LLC** will not return DNA samples to you or to referring healthcare providers, unless specific prior arrangements have been made. I understand that samples from residents of New York State will not be included in the de-identified research studies described in this authorization and will not retain them for more than 60 days after test completion, unless specifically authorized by my selection. The authorization is optional, and testing will be unaffected if I do not check the box for the New York authorization language. **OmniHealth Diagnostics, LLC** will not perform any tests on the biological sample other than those specifically authorized.

DATABASE PARTICIPATION

De-identified health history and genetic information can help healthcare providers and scientists understand how genes affect human health. Sharing this de-identified information helps healthcare providers to provide better care for their patients and researchers to make new discoveries. **OmniHealth Diagnostics, LLC** shares this type of information with healthcare providers, scientists, and healthcare databases. **OmniHealth Diagnostics, LLC** will not share any personally identifying information and will replace the identifying information with a unique code not derived from any personally identifying information. Even with a unique code, there is a risk that I could be identified based on the genetic and health information that is shared. **OmniHealth Diagnostics, LLC** believes that this is unlikely, though the risk is greater if I have already shared my genetic or health information with public resources, such as genealogy websites.

EXOME/GENOME SEQUENCING SECONDARY FINDINGS

Applicable Only for Full Exome Sequencing and Genome Sequencing Tests. • Does not pertain to Xpanded® or Slice tests

As many different genes and conditions are analyzed in an exome or genome sequencing test, these tests may reveal some findings not directly related to the reason for ordering the test. Such findings are called "incidental" or "secondary" and can provide information that was not anticipated.

Secondary findings are variants, identified by an exome or genome sequencing test, in genes that are unrelated to the individual's reported clinical features.

The American College of Medical Genetics and Genomics (ACMG) has recommended that secondary findings identified in a specific subset of medically actionable genes associated with various inherited disorders be reported for all probands undergoing exome or genome sequencing. Please refer to the latest version of the ACMG recommendations for reporting of secondary findings in clinical exome and genome sequencing for complete details of the genes and associated genetic disorders. Reportable secondary findings will be confirmed by an alternate test method when needed.

WHAT WILL BE REPORTED FOR THE PATIENT? - All pathogenic and likely pathogenic variants associated with specific genotypes identified in the genes (for which a minimum of 10X coverage was achieved by genome sequencing), as recommended by the ACMG.

WHAT WILL BE REPORTED FOR RELATIVES? - The presence or absence of any secondary finding(s) reported for the proband will be provided for all relatives analyzed by an exome or genome sequencing test.

LIMITATIONS - Pathogenic and/or likely pathogenic variants may be present in a portion of the gene not covered by this test and therefore are not reported. The absence of reportable secondary findings for any particular gene does not mean there are no pathogenic and/or likely pathogenic variants in that gene. Pathogenic variants and/or likely pathogenic variants that may be present in a relative, but are not present in the proband, will not be identified, or reported. Only changes at the sequence level will be reported in the secondary findings report. Larger deletions/duplications, abnormal methylation, triplet repeat or other expansion variants, or other variants not routinely identified by clinical exome and genome sequencing will not be reported.

FINANCIAL AGREEMENT AND GUARANTEE - For insurance billing, I understand and authorize **OmniHealth Diagnostics**, **LLC** to bill my health insurance plan on my behalf, to release any information required for billing, and to be my designated representative for purposes of appealing any denial of benefits. I irrevocably assign to and direct that payment be made directly to I understand that my out-of-pocket costs may be different than the estimated amount indicated to me by **OmniHealth Diagnostics**, **LLC** as part of a benefit investigation. I agree to be financially responsible for any and all amounts as indicated on the explanation of benefits issued by my health insurance plan. If my insurance provider sends a payment directly to me for services performed by **OmniHealth Diagnostics**, **LLC** on my behalf, I agree to endorse the insurance check and forward it to **OmniHealth Diagnostics**, **LLC** within 30 days of receipt as payment towards **OmniHealth Diagnostics**, **LLC** claim for services rendered. **MEDICARE**

A completed Advance Beneficiary Notice (ABN) is required for Medicare patients.

DIGITAL PATIENT LETTER CONSENT

Applicable Only for Commercial Insurance

• Estimate is provided by your health insurance company and therefore NO estimate will be sent for any orders placed with federal or state-funded insurance plans (e.g. Medicare, Medicaid, Tricare, etc.), institutional bill, or patient bill (self-pay).

To provide you with the estimated out-of-pocket expenses related to your test, **OmniHealth Diagnostics, LLC** will send you an email and/or text with the link to access your personalized Digital Patient Letter.

In order to send this information, we need your consent and agreement to the following items:

1. can use your email address or mobile phone number solely for the purpose of **OmniHealth Diagnostics**, LLC sending your estimated financial obligation. Text message data rates may apply. is not responsible for undelivered messages due to incorrect or illegible contact information.

2. will send you an email and/or text message containing a link to view your personalized Patient Letter that includes the test out-of-pocket estimate. The link is time-sensitive and will only be available for 72 hours from the time the message is sent. In order to view the estimate, you must click the link in the message.

3. If you take no action, **OmniHealth Diagnostics, LLC** will assume that you agree to move ahead with testing and will bill your health insurance. You can approve testing with insurance, switch to self-pay, or cancel the test via the link within the given 72-hour window. In turn, **OmniHealth Diagnostics, LLC** if receives your sample(s) and the billing method hasn't been changed, or the test hasn't been cancelled, we will move ahead with testing as ordered, and you will be responsible for any out-of-pocket costs for the completion of the test(s).

STOP Patient Signature

I hereby assign all rights and benefits under my health plan and all rights and obligations that I and my dependents have under my health plan to **OmniHealth Diagnostics, LLC** its assigned affiliates and authorized representatives for laboratory services furnished to me by **OmniHealth Diagnostics, LLC** I irrevocably designate, authorize and appoint **OmniHealth Diagnostics, LLC** or its assigned affiliates and their authorized representatives as my true and lawful attorney-in-fact for the purpose of submitting my claims, obtain a copy of my health plan document, Summary Plan Description, disclosure, appeal, litigation or other remedies in accordance with the benefits and rights under my health plan and in accordance with federal or state laws. If my health plan fails to abide by my authorization and makes payment directly to me, I agree to endorse the insurance check and forward it to **OmniHealth Diagnostics, LLC** immediately upon receipt. I hereby authorize **OmniHealth Diagnostics, LLC** its assigned affiliates and authorized representatives to contact me or my health Plan/administrator for billing or payment purposes by phone, text message, or email with the contact information that I have provided to **OmniHealth Diagnostics, LLC**, in compliance with federal and state laws. **OmniHealth Diagnostics, LLC**, its assigned affiliates and their authorized representatives may release to my health plan administrator, my employer, and my authorized representative my personal health information for the purpose of procuring payment for laboratory services and that I am financially responsible for all charges whether or not they are covered by my insurance.

Signature of Patient or Patient Representative / Relationship to Patient

Date:

Date:

STOP ORDERING PHYSICIAN SIGN HERE Physician must only order tests that are medically necessory for the diagnosis or treatment of a patient

I attest that this test is medically necessary for the diagnosis or detection of a disease or disorder and that the results will be used in medical management and care decisions for the patient. Furthermore, all information on this Requisition Form is true to the best of my knowledge. I agree to provide the Care Plan notes and Letter of Intent for this order if the insurance requests the lab to gather the medical necessity for any reason

Ordering Physician Signature

TESTING REQUISITION FORM - THYROID GENETIC DISEASE | Page 4 of 4

Updated on 01/31/2022