



OMNIHEALTH

D I A G N O S T I C S

1840 N. Greenville Ave, Suite 176 Richardson, TX 75081 Phone

972.887.3444 | Fax 972.887.3443

CLIA# 45D2089485 | Laboratory Director: Akhtar Afshan Ali
www.OmniHealthDX.com

FINAL

Patient:	Test, Patient	MRN:	4	Accession:	23243
Patient #:	6818	Birth:	4/26/1950		
Doctor:	Test, Doctor	Age:	73 years	Collection Date:	11/14/2023 10:30 AM TB
Home Phone:	1231231234	Gender:	Male	Received Date:	11/14/2023 10:30 AM TB

Test Name	Result	Units	Flag	Reference Range/Cutoff
Nail Fungal Panel				<i>Run by AS on 11/14/2023 10:45:43 AM</i>
Alternaria spp.	Not Detected		N	
Aspergillus flavus	Not Detected		N	
Candida albicans	Not Detected		N	
Candida glabrata	Detected		Abnormal	
Candida krusei	Not Detected		N	
Candida parapsilosis	Not Detected		N	
Candida tropicalis	Not Detected		N	
Curvularia lunata	Not Detected		N	
Epidermophyton floccosum	Not Detected		N	
Malassezia globosa	Not Detected		N	
Microsporum gypseum	Detected		Abnormal	
Microsporum canis, Microsporum audouinii, Microsporum ferrugineum	Not Detected		N	
Trichophyton interdigitale, Trichophyton mentagrophyte	Not Detected		N	
Trichophyton rubrum	Not Detected		N	
Trichosporon mucoides	Not Detected		N	



OMNIHEALTH

D I A G N O S T I C S

1840 N. Greenville Ave, Suite 176 Richardson, TX 75081 Phone

972.887.3444 | Fax 972.887.3443

CLIA# 45D2089485 | Laboratory Director: Akhtar Afshan Ali
www.OmniHealthDX.com

FINAL

Patient: Test, Patient MRN: 4 Accession: 23243
 Patient #: 6818 Birth: 4/26/1950
 Doctor: Test, Doctor Age: 73 years Collection Date: 11/14/2023 10:30 AM TB
 Home Phone: 1231231234 Gender: Male Received Date: 11/14/2023 10:30 AM TB
 Notes: Disclaimer: Testing was performed at OmniHealth Diagnostics, LLC (CLIA# 45D2089485) Laboratory Director Akhtar Afshan Ali.

This is a Laboratory Developed Test, and its performance characteristics are determined by OmniHealth Diagnostics, LLC. This laboratory is regulated under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) and is qualified to perform high-complexity clinical testing. This test has not been cleared nor approved by the U.S. Food and Drug Administration (FDA).

Method: Nucleic acid from patient specimens was amplified by RT-PCR using reagents and control materials validated by OmniHealth Diagnostics, LLC for the detection of selected microorganisms and Antibiotic Resistance Markers.

Test Result Interpretation:

Detected/Abnormal: Indicates the presence of the target microorganism(s).

Inconclusive: A small amount of nucleic acid was identified but inadequate to confidently make a result call. This result can occur from inadequate sample collection, new or very early-stage infection, or for patients close to recovery. Recollection and Retesting recommended.

Invalid: Unable to confirm the presence or absence of the targeted microorganism due to specimen quality. Recollection and Retesting recommended.

Not Detected: A negative detection does not imply the absence of microorganisms other than those listed or does not exclude the possibility that the target sequence is present below the limit of detection.

It is recommended that the test results be interpreted in conjunction with all other medical information relevant to the patient's clinical condition.