



Patient:	Test, Patient	MRN:	4	Accession:	29330
Patient #:	6818	Birth:	4/26/1950		
Doctor:	Test, Doctor	Age:	73 years	Collection Date:	1/24/2024 11:36 AM TB
Home Phone:	1231231234	Gender:	Male	Received Date:	1/24/2024 11:36 AM TB
				Specimen Source:	Wound Swab

Test Name	Result	Units	Flag	Reference Range/Cutoff
Wound				
<i>Run by TB on 1/24/2024 11:37:03 AM</i>				
Acinetobacter baumannii	Detected		Abnormal	
Bacteroides fragilis	Detected		Abnormal	
Citrobacter braakii/freundii	Not Detected			
Citrobacter koseri	Detected		Abnormal	
Enterobacter cloacae	Detected		Abnormal	
Enterococcus spp.	Not Detected			
Escherichia coli	Detected		Abnormal	
Klebsiella aerogenes	Not Detected			
Klebsiella oxytoca	Not Detected			
Klebsiella pneumonia/michiganensis	Not Detected			
Morganella morganii	Not Detected			
Proteus mirabilis	Not Detected			
Pseudomonas aeruginosa	Not Detected			
Serratia marcescens	Detected		Abnormal	
Staphylococcus aureus	Not Detected			
Staphylococcus epidermidis	Not Detected			
Staphylococcus saprophyticus	Not Detected			
Streptococcus Pyogenes (Grp A)	Detected		Abnormal	



OMNIHEALTH

DIAGNOSTICS
1840 N. Greenville Ave, Suite 176 Richardson, TX 75081 Phone
972.887.3444 | Fax 972.887.3443
CLIA# 45D2089485 | Laboratory Director: Akhtar Afshan Ali
www.OmniHealthDX.com

FINAL

Patient:	Test, Patient	MRN:	4	Accession:	29330
Patient #:	6818	Birth:	4/26/1950		
Doctor:	Test, Doctor	Age:	73 years	Collection Date:	1/24/2024 11:36 AM TB
Home Phone:	1231231234	Gender:	Male	Received Date:	1/24/2024 11:36 AM TB
				Specimen Source:	Wound Swab

Notes: Disclaimer: Testing was performed at OmniHealth Diagnostics, LLC (CLIA# 45D2089485) Laboratory Director Akhtar Afshan Ali.

This is a Laboratory Developed Test, and its performance characteristics are determined by OmniHealth Diagnostics, LLC. This laboratory is regulated under the Clinical Laboratory Improvement Amendments of 1988 (CLIA) and is qualified to perform high-complexity clinical testing. This test has not been cleared nor approved by the U.S. Food and Drug Administration (FDA).

Method: Nucleic acid from patient specimens was amplified by RT-PCR using reagents and control materials validated by OmniHealth Diagnostics, LLC for the detection of selected microorganisms and Antibiotic Resistance Markers.

Test Result Interpretation:

Detected/Abnormal: Indicates the presence of the target microorganim(s).

Inconclusive: A small amount of nucleic acid was identified but inadequate to confidently make a result call. This result can occur from inadequate sample collection, new or very early-stage infection, or for patients close to recovery. Recollection and Retesting recommended.

Invalid: Unable to confirm the presence or absence of the targeted microorganism due to specimen quality. Recollection and Retesting recommended.

Not Detected: A negative detection does not imply the absence of microorganisms other than those listed or does not exclude the possibility that the target sequence is present below the limit of detection.

It is recommended that the test results be interpreted in conjunction with all other medical information relevant to the patient's clinical condition.